

## **No-till Seed Drill For Sale - \$15,000 or Best Offer**

Model: Haybuster 77 All Purpose Drill


Size: width 7'7", length 15'11", weight 3,360lbs, serial number: JJ-7447

Requirements: No less than 40HP Tractor with Hydraulics, Towing– straight drawbar pin

Cheshire County Conservation District purchased new in 2011. Acreage meter reads 2,325.

Maintained regularly by Steve's Equipment in Westmoreland NH.

Haybuster 77C Seed Drill w/ accurate depth control through packer wheels and parallel linkage, three seed boxes with individual metering, depth control adjustment, infinite rate adjustments, pressure control springs for up to 300 lbs of down pressure, easy pull type transportation, and more! Ideal for everything from warm and cool season grasses to small grains and soybeans.



To ask questions or make an offer please contact Amanda Littleton at 401-578-1608 or [amanda@cheshireconservation.org](mailto:amanda@cheshireconservation.org) . Drill is located in Westmoreland NH.



## SPECIFICATIONS 77 DRILL

Weight 3,360 lbs. (1,524 kg)

### TRANSPORT & WORKING DIMENSION

Overall width 7'7" (2.31 m)  
 Height 6'2" (1.87 m)  
 Road clearance 7" (17.78 cm)  
 Length 15'11" (4.84 m)

### CHASSIS FEATURES

Front tire type implement  
 Front tire size 9.5 L x 14" (35.56 cm)  
 Rear tire type implement  
 Rear tire size 7.6 L x 15" (38.1 cm)  
 Road lights, SMV and highway chains are standard equipment

### SEED/FERTILIZER BOXES

Seed box 12 Bu, (422 l)  
 Feed system infinitely adjustable meter  
 Fertilizer box 930 lbs. (421.8kg)  
 11.5bu (405.3 liters)  
 Walk board size & type 10" x 88" - steel  
 (25.4 cm x 223.5 cm)  
 Seed/fertilizer hose type rubber convoluted  
 Seed fertilizer hose size 1-1/4" I.D. (3.18 cm)

### SEED OPENERS

Seeding row spacing 7" (17.78 cm)  
 Seeding width 77" (1.95 m)  
 Number of seed openers 12  
 Opener type coulter-disc offset opener  
 Coulters lead distance 1-1/2" (3.81 cm)  
 Opener spring Pressure range 135 to 300 lbs. (61.24 kg  
 to 136.08 kg)  
 Opener travel range 10" (25.4 cm)  
 Disc soil penetration range up to 3" (7.62 cm)  
 Coulters size 4 mm x 14" diameter (35.56 cm)  
 Disc size 2.5 mm x 14" diameter  
 Disc bearings Heavy-Duty - sealed 3/4" (1.90  
 cm) Double Row Ball Bearings





